




KTD (PVT) LTD

Innovative Machine Reliable Solution


AT series

Economical Plate and tube laser fiber cutting machine





**One machine dual use
You get what you want**



Mineral casting anti-burning plate



Easy slag clean-up, long service life: compared with anti-burning cast iron and anti-burning steel plate, it is less prone to deformation, flexible in size, and can perfectly protect the whole body of the machine.

Comprehensive performance improved by **30%**
relative to the last generation

Maximum acceleration up to **1.5G**

Adopting high performance bus servo motor to achieve the absolute leading dynamic performance
(compared with similar products in the market).
Significantly improve processing efficiency to maximize the value you can create in every second.

*Relative to the last generation



30%

Structural strength enhanced by

25%

Rigidity enhanced by


The latest 3rd generation mortise and tenon welded bed

Fast clamping response in **2S** High-speed chuck

Adopting the direct cylinder push structure, the pneumatic chuck allows simple and efficient transmission. The fastest clamping response can be completed in only 2S. Easy removal and maintenance on site

Edge avoidance collision prevention

Self-developed motionsensing and path avoidance algorithm significantly reduces the risk of laser head collision caused by workpiece warping.




Laser head **active obstacle avoidance**

Self-developed servo-following sensing and path avoidance algorithm, significantly reduce the risk of laser head collision caused by workpiece warping



Remaining material typesetting

Based on the self-developed visual recognition algorithm, one-click photo snap on the cell phone to identify the remaining plates.
Convenient for users to recycle and utilize the remaining irregular sheets.
Give higher value to each piece of leftover material.







Plate edge anti-vibrating cutting

Through the automatic adjustment of servo-following sensitivity, it is able to adapt to the high frequency vibration of thin plated due to air pressure and reduce the rate of defective products. Automatic adjustment of vibration function particularly for thin plate cutting.

Aircraft-grade aluminum crossbeam




25%

Structural strength enhanced by

30%

Weight reduced by



Modular cutting machine table

Pioneering innovation of modular structure table for lower maintenance costs



Technical processing sharing

Accessories online store

Auxiliary operation

Equipment real time monitoring

Regular maintenance reminder

One click malfunction report

Bodor

A new interactive platform for the industrial laser technology and the IoT (Internet of Things) **+**

Integrating functions such as sharing, auxiliary operation, real-time monitoring of equipment, regular maintenance reminder, parts online purchase, and one-click failure reporting create a new ecology of full-service laser processing technology


Bodor

Six-in-one laser technology full ecology

Fully self-developed Bodor Thinker control system, Bodor Nest nesting software, Bodor Genius laser head and Bodor Power laser source matched with MES system and Bodor Drive drive system, enabling stable operation of the machine, with premium quality cuts and incredible working efficiency.




Bodor Thinker
Central control system



Bodor Nest
Nesting software



Bodor Genius
Laser head



Bodor Power
Laser source



Bodor MES
Intelligent production
management software



Bodor Drive
Drive system

Self-developed BodorPower laser

marks we have achieved the complete autonomy of developing the core components of laser equipments.



Being the core component of a laser equipment, the laser is like the engine of a car or the CPU of a cell phone.


Over the years, laser manufacturing has been monopolized by overseas and a few domestic top-tier device manufacturers. With domestic laser enterprises only outsourcing lasers, core components quality is highly restricted and cannot be guaranteed. Bodor dares to be the pioneer to tackle the challenges of developing our own lasers, and significantly improves the efficiency of devices, bringing better processing experience for customers. own lasers, and significantly improves the efficiency of devices, bringing better processing experience for customers.

Bodor has put self-developed BodorGenius laser head in mass production.

The power ranging from 1500W to 50000W



At the final stage of laser output, laser head is critical and a determining factor to the processing quality and the efficiency of laser equipment. Bodor's self-developed laser head is equipped with multiple intelligent functions, and allow us the great confidence in "bringing our products with premium using experiences to the customers across the globe."



Bodor self-developed BodorThinker operating system

brings intelligent human-machine interactive experiences to our users.

Typically, complete machine manufacturers tend to install outsourced operating systems on their machine tools, which is akin to "installing someone else's head on their own body" - the poor compatibility between software and the hardware inevitably results in frequent mechanical failure

Software development is a bumpy journey. However, Bodor has been determined to develop our own operating system, starting from writing the "source code". It takes 5 years of relentless dedication for BodorThinker operating system to be successfully developed.


The autonomous operating software matched with self-developed hardware enables the smooth running of the equipments.

BodorNest, Bodor's self-developed nesting software has been successfully launched,

which achieves a perfect loop of nesting, system control and cutting optical path.

BodorNest nesting software is developed by BODOR CAMsoftware team with rich industry experience and 8 years of dedication.

BodorNest brings the efficiency of nesting operation to the next level and maximizes the utilization of plates and tubes.



Bodor self-developed Bodor MES system, a great helper in building “smart factory”

In recent years, Chinese manufacturing has grown fast. Yet, the conventional factory management method system is relatively sloppy, with high labor cost and low efficiency, which is in urgent need of upgrades and transformation.

Bodor self-developed MES system is able to provide a “smart factory” visualization management platform, which further promotes an all-round digital transformation of factory, bringing the conventional workshop into digital era.





Bodor self-developed BodorDriver drive system

With a near-perfect inertia ratio through rigorous mechanical calculations, BodorDriver guarantees the performance and stability of the core components of driving system. Compared with outsourced standard counterparts, BodorDriver is more compatible with the high-speed reciprocating motion characteristic of laser cutting equipments.

(optional)

Bodor laser scanning cutting machine pioneers a new category in the industry

dare to be the first to break the rules
transform and upgrade Chinese industry as a pathfinder.

What is scanning cutting?

Overturns the conventional processing method of laser cutting since its inception, upgrading static spot cutting to dynamic spot cutting, with the spot traveling 30 meters for every 1 meter cut, tremendously improving the efficiency of laser energy absorption by the processed material.


3 innovative features of Scanning cutting

Faster: cutting speed up to 200% increase

Thicker: cutting thickness up to 150% increase

No fear of high reflection: During scanning cutting, the laser beam comes at tilted angle, which significantly reduces back reflection for highly reflective materials batch cutting

This is another technological breakthrough in the history of human metal cutting tools since the application of laser cutting for decades.



MANGO Wireless touch control handle

Supports one-handed operation and comfortable grip

It can be attached to any sheet metal, and detachable at your disposal.

Reset the aesthetic standard in the era of intelligence and IOT.






AT series Function¶meter List

| | A3T | A4T | A6T | A6TP |
|--------------------------------------|-------------------------------------|-------------------------------------|---|-------------------------------------|
| Working area | 3048mm*1524mm | 4000mm*1524mm | 6100mm*1524mm | 6100mm*2500mm |
| Max. linkage speed | 100m/min | 100m/min | 100m/min | 100m/min |
| Max. acceleration | 1.5 G | 1.5 G | 1.5 G | 1.5 G |
| Tube size range | Round tube:φ20-φ230mm | Square tube :□20-□230mm | Rectangular tube 230mm≥Side length≥20mm | |
| pneumatic chuck maximum load | 200kg 33.4kg/m | | | |
| Automatic tube inspection | Edge-seeking, center-finding | | | |
| Angle steel, channel steel cutting | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Intelligent anti-shake of sheet edge | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Automatic adjustment of cutting gas | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Anti-slag Protection | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

One machine dual use You get what you want





KTD (PVT) LTD

Innovative Machine Reliable Solution

bodor

Dare to dream